

# LABORATORIO DE ANALISIS CLINICOS



**UADY**  
FACULTAD DE  
MEDICINA

FORMATO PARA EL REGISTRO DE LA TEMPERATURA AMBIENTAL

AREA:

MES/AÑO:

DIA	HORA DE REGISTRO	TEMP °C	REALIZÓ
01			
02			
03			
04			
05			
06			
07			
08			
09			
10			
11			
12			
13			
14			
15			
16			
17			
18			
19			
20			
21			
22			
23			
24			
25			
26			
27			
28			
29			
30			
31			

*VARIACION DE TEMPERATURA DURANTE EL MES																																
D	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	
28																																
27																																
26																																
25																																
24																																
23																																
22																																

TEMPERATURA ÓPTIMA 24º C, ACEPTABLE ENTRE 22-28º C

Observaciones:

---



---



---



---



---



---

**AREAS:**

- PROCESAMIENTO
- PARASITOLOGIA
- MICROBIOLOGIA

\_\_\_\_\_  
**Q.F.B. CARIDAD DEL COBRE HERRERA FRANCO**  
 CEDULA: 1492883 UADY  
 RESPONSABLE SANITARIO